



PROFILI IN ALLUMINIO E ACCESSORI

ALUMINIUM PROFILES AND ACCESSORIES
PERFILES DE ALUMINIO Y ACCESORIOS
PROFILÉS EN ALUMINIUM ET ACCESSOIRES
ALUMINIUM PROFILE UND ZUBEHÖR

line **IM**

Aggiornamento Novembre 2019

Update Ed. **12**


PROFILI SERIE 30 CAVA 6 IM

PROFILES SERIES 30 SLOT 6 IM

PERFILES SERIE 30 RANURA 6 IM

PROFILÉS SÉRIE 30 RAINURE 6 IM



PROFILE REIHE 30 NUT 6 IM



30x60

NEW

IM
6
30



CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.117.002	5,65	21,5	3,77	7,17	619,56	1,67

Alluminio anodizzato


Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium

Colore natural

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

Tappo - Cap - Tapòn - Embout - Abdeckkappe




CODICE	Materiale	g	Colore
084.201.087	PA	4,9	■
084.201.087G	PA	4,9	■

60x60

NEW

IM
6
30



CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.117.003	38,5	38,5	12,84	12,84	968	2,61

Alluminio anodizzato

Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium

Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

Tappo - Cap - Tapòn - Embout - Abdeckkappe



CODICE	Materiale	g	Colore
084.201.089	PA	9	■
084.201.089G	PA	9	■


PROFILI SERIE 40 CAVA 8 IM

PROFILES SERIES 40 SLOT 8 IM

PERFILES SERIE 40 RANURA 8 IM

PROFILÉS SÉRIE 40 RAINURE 8 IM


PROFILE REIHE 40 NUT 8 IM



40x40

NEW

IM
8 5
40



CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.011	7,53	7,53	3,77	3,77	514,1	1,39

Alluminio anodizzato



Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium

Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

Tappo - Cap - Tapòn - Embout - Abdeckkappe




CODICE	Materiale	g	Colore
084.201.076	PA	5	■
084.201.076G	PA	5	■

40x40

NEW

IM
8 5
40



CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.021	10,5	9,26	5,25	4,64	690,27	1,87

Alliminio anodizzato


Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium

Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

Tappo - Cap - Tapòn - Embout - Abdeckkappe




CODICE	Materiale	g	Colore
084.201.076	PA	5	■
084.201.076G	PA	5	■

40x40

NEW

IM
8 5
40



Alluminio anodizzato

Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium


Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.022	10,5	9,9	5,25	4,84	707,8	1,91

Tappo - Cap - Tapon - Embout - Abdeckkappe




CODICE	Materiale	g	Colore
084.201.076	PA	5	■
084.201.076G	PA	5	■

40x40

NEW

IM
8 5
40



Alluminio anodizzato

Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium


Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.018	7,1	7,1	3,22	3,22	591	1,6

Tappo - Cap - Tapon - Embout - Abdeckkappe





CODICE	Materiale	g	Colore
084.201.088	PA	4	■
084.201.088G	PA	4	■

40x80

NEW

IM
8 5
40



CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.012	14,85	55,48	7,43	13,87	859,4	2,32

Alluminio anodizzato


Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium

Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

Tappo - Cap - Tapòn - Embout - Abdeckkappe





CODICE	Materiale	g	Colore
084.201.077	PA	9	■
084.201.077G	PA	9	■

40x80

NEW

IM
8 5
40



CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.023	17,02	73,3	8,51	18,32	1159,3	3,14

Alluminio anodizzato


Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium

Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

Tappo - Cap - Tapòn - Embout - Abdeckkappe




CODICE	Materiale	g	Colore
084.201.077	PA	9	■
084.201.077G	PA	9	■

40x80

NEW

IM 8 IM
40



CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.019	18,23	74,7	9,12	18,67	1193,8	3,22


Alluminio anodizzato

Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium


Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m



Tappo - Cap - Tapôn - Embout - Abdeckkappe




CODICE	Materiale	g	Colore
084.201.077	PA	9	■
084.201.077G	PA	9	■

40x120

NEW

IM
8 5
40

CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.014	40,19	322,7	20,1	53,8	2417,8	5,11




Alluminio anodizzato

Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium

Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m




Tappo - Cap - Tapon - Embout - Abdeckkappe			
CODICE	Materiale	g	Colore
084.201.093	PA	15	■
084.201.093G	PA	15	■

40x160

NEW

IM
8 5
40

CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.015	53,2	737,1	26,6	92,14	3167,3	8,55




Alluminio anodizzato

Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium

Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m





Tappo - Cap - Tapon - Embout - Abdeckkappe			
CODICE	Materiale	g	Colore
084.201.091	PA	20	■
084.201.091G	PA	20	■

80x120

NEW

IM
8 5
40



Alluminio anodizzato

Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium


Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe

L=6,040m

CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.016	270,1	564,7	67,5	94,1	3874	10,46

Tappo - Cap - Tapon - Embout - Abdeckkappe





CODICE	Materiale	g	Colore
084.201.090	PA	29	■
084.201.090G	PA	29	■

80x160

NEW

IM
8 5
40



Alluminio anodizzato

Anodised aluminium - Aluminium anodisé
Aluminio anodizado - Eloxiertes Aluminium


Colore naturale

Natural colour - Couleur naturelle
Color natural - Natürliche Farbe


L=6,040m

CODICE	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
084.114.017	352,65	1189,9	88,16	148,74	4773,7	12,9

Tappo - Cap - Tapon - Embout - Abdeckkappe




CODICE	Materiale	g	Colore
084.201.092	PA	50	■
084.201.092G	PA	50	■



ACCESSORI

ACCESSORIES
ACCESORIOS
ACCESSOIRES
ZUBEHÖR




**CHIUDICAVA RIGIDO**

RIGID SLOT CLOSER
TAPA-RANURA RÍGIDO
FERMETURE DE RAINURE RIGIDE
STARRES VERSCHLIESSELEMENT FÜR NUTEN

NEW**IM**
65
30



CODICE	Note	g/m
084.203.004	L = 2000 mm	69

**PVC rigido grigio**

Rigid grey PVC - PVC rigide gris
PVC rígido color gris - Hart-PVC grau

Altri colori a richiesta

Other colours on request - Autres couleurs sur demande
Otros colores bajo solicitud - Weitere Farben auf Anfrage





GIUNTO 3 VIE
THREE-WAY JOINT
EMPALME DE 3 VÍAS
JOINT 3 VOIES
DREI-WEGE-VERBINDER



NEW

IM
8 5
40

CODICE	Note	g
084.310.027	Completo di viti - Complete with screws - Incluye tornillos - Doté de vis - Einschließlich Schrauben	22,6



Alluminio sabbato
Sandblasted aluminium - Aluminium sablé
Aluminio arenado - Sandgestrahltes Aluminium



TAPPO TONDO 3 VIE
THREE-WAY ROUND CAP
TAPÓN REDONDO DE 3 VÍAS
BOUCHON ROND 3 VOIES
RUNDE DREI-WEGE-ABDECKKAPPE



NEW

IM
8 5
40

CODICE	Note	Colore	g
084.310.028	Per 084.310.027 - For 084.310.027 - Para 084.310.027 - Pour 084.310.027 - Für 084.310.027	■	5,6



Poliammide
Polyamide - Polyamide
Poliamida - Polyamid



**TAPPO QUADRO 3 VIE**

THREE-WAY SQUARE CAP

TAPÓN CUADRADO DE 3 VÍAS

BOUCHON CARRÉ 3 VOIES

VIERECKIGE DREI-WEGE-ABDECKKAPPE



NEWIM
8
40

CODICE	Note	Colore	g
084.310.029	Per 084.310.027 - For 084.310.027 - Para 084.310.027 - Pour 084.310.027 - Für 084.310.022	■	10,8

**Poliammide**

Polyamide - Polyamide


Poliamida - Polyamid





ANGOLARE 25X80

25X80 ANGLE
 ÂNGULO 25X80
 CORNIÈRE 25X80
 WINKELSTÜCK 25X80




NEW

CODICE	Note	g
084.305.044	Montaggio con viti M8x20 non incluse - Assembly with M8x20 screws, not included - Montaje con tornillos M8x20, no incluidos - Montage avec vis M8x20 non fournies - Montage mit Schrauben M8x20 (nicht im Lieferumfang enthalten)	63



Alluminio sabbato

Sandblasted aluminium - Aluminium sablé
 Aluminio arenado - Sandgestrahltes Aluminium



**ANGOLARE 40x40**



40x40 ANGLE
 ÂNGULO 40x40
 CORNIÈRE 40x40
 WINKELSTÜCK 40x40

**NEW**

CODICE	Note	g
084.305.046	Montaggio con viti M8x16 non incluse - Assembly with M8x16 screws, not included - Montaje con tornillos M8x16, no incluidos - Montage avec vis M8x16 non fournies - Montage mit Schrauben M8x16 (nicht im Lieferumfang enthalten)	77

Zama verniciato grigio RAL 9006



Grey painted RAL 9006 zamak - Zamak
 peint gris RAL 9006
 Zamak barnizado en gris RAL 9006 - Grau
 lackierte RAL-Farbe 9006 Zamak-Legierung

**Tappo - Cap - Tapòn - Embout - Abdeckkappe**

CODICE	Materiale	g	Colore
084.206.010	PA	8,6	■

ANGOLARE 40x40



40x40 ANGLE
 ÂNGULO 40x40
 CORNIÈRE 40x40
 WINKELSTÜCK 40x40

**NEW**

CODICE	Note	g
084.305.046T	Montaggio con viti M8x16 non incluse - Assembly with M8x16 screws, not included - Montaje con tornillos M8x16, no incluidos - Montage avec vis M8x16 non fournies - Montage mit Schrauben M8x16 (nicht im Lieferumfang enthalten)	77

Zama burattato


Tumbled zamak - Zamak tribofini
 Zamak vibroacabado - Gleitgeschliffene
 Zamak-Legierung

**Tappo - Cap - Tapòn - Embout - Abdeckkappe**

CODICE	Materiale	g	Colore
084.206.010	PA	8,6	■



ANGOLARE 40x80
40x80 ANGLE
ÁNGULO 40x80
CORNIÈRE 40x80
WINKELSTÜCK 40x80




NEW


CODICE	Note	g
084.305.048	Montaggio con viti M8x16 non incluse - Assembly with M8x16 screws, not included - Montaje con tornillos M8x16, no incluidos - Montage avec vis M8x16 non fournies - Montage mit Schrauben M8x16 (nicht im Lieferumfang enthalten)	270

Zama verniciato grigio RAL 9006

Grey painted RAL 9006 zamak - Zamak
peint gris RAL 9006
Zamak barnizado en gris RAL 9006 - Grau
lackierte RAL-Farbe 9006 Zamak-Legierung




Tappo - Cap - Tapòn - Embout - Abdeckkappe



CODICE	Materiale	g	Colore
084.206.012	PA	20	■

ANGOLARE 40x80
40x80 ANGLE
ÁNGULO 40x80
CORNIÈRE 40x80
WINKELSTÜCK 40x80




NEW


CODICE	Note	g
084.305.048T	Montaggio con viti M8x16 non incluse - Assembly with M8x16 screws, not included - Montaje con tornillos M8x16, no incluidos - Montage avec vis M8x16 non fournies - Montage mit Schrauben M8x16 (nicht im Lieferumfang enthalten)	270

Zama burattato


Tumbled zamak - Zamak tribofini
Zamak Vibroacabado - Gleitgeschliffene
Zamak-Legierung





Tappo - Cap - Tapòn - Embout - Abdeckkappe



CODICE	Materiale	g	Colore
084.206.012	PA	20	■

**GUARNIZIONE PER PANNELLI**

PANEL GASKET
JUNTA PARA PANELES
JOINT POUR PANNEAUX
DICHTUNG FÜR PLATTEN

**NEW****IM**
6
30

CODICE	S	Colore		g/m
084.512.003	2	■	200 m	50
084.512.056	3	■	280 m	50
084.512.001	4	■	250 m	50
084.512.056G	3	■	280 m	50

Gomma termoplastica

Thermoplastic rubber - Caoutchouc thermoplastique
Goma termoplástica - Thermoplastischer Gummi



CHIUDICAVA RIGIDO

RIGID SLOT CLOSURE



TAPA-RANURA RÍGIDO

FERMETURE RAINURE RIGIDE

STARRES VERSCHLIESSELEMENT FÜR NUTEN

NEW

IM
85
40




CODICE	Note	g/m
084.203.024	Spessore pannelli: 2-4 mm, rete 40x40 e rete TEC - Panel thickness: 2-4 mm, 40x4 mesh and TEC mech - Grosor de los paneles: 2-4 mm, malla 40x40 y malla TEC - Épaisseur panneaux: 2-4 mm, grille 40x40 et grille TEC - Plattendicke: 2-4 mm, Baustahlgewebe 40x40, TEC	40


PVC rigido nero


Rigid black PVC - PVC rigide noir

PVC rígido color negro - Hart-PVC schwarz


L = 2000 mm







Alusic®



ALUSIC S.R.L. - Via Bologna, 10/A - 12084 - Mondovì (CN) - ITALY
Tel.: (+39) 0174.55.29.49 - Fax: (+39) 0174.47.975 - Skype: sic.com
contact@alusic.com - www.alusic.com

© copyright - 11/2019